


FORM PTO-1449 U.S. Department of Commerce Patent and Trademark Office				Attorney Docket Number 5470-255		Serial No. 09/541,462	
LIST OF DOCUMENTS CITED BY APPLICANT (Use several sheets if necessary)							
				Applicants: Xue Xiong, Tomohiko Ohta		RECEIVED AUG 21 2000 JCS CENTER 1600/230	
				Filing Date March 31, 2000		Group 16430	
U. S. PATENT DOCUMENTS							
Examiner Initial		Document Number	Date	Name	Class	Subclass	Filing Date if Appropriate
DR	1.	5,871,973	2/16/99	Hillman et al.	435	69.1	
↑	2.	5,922,318	7/13/99	Bandman et al.	424	94.1	
↓	3.	5,968,747	10/19/99	Hillman et al.	435	6	
↓	4.	5,968,761	10/19/99	Rolfe et al.	435	15	
↓	5.	5,968,797	10/19/99	Ni et al.	435	193	
↓	6.	6,068,982	5/30/00	Rolfe et al.	435	7.21	
DR	7.	6,068,994	5/30/00	Barr	435	69.7	
FOREIGN PATENT DOCUMENTS							
		Document Number	Date	Country	Class	Subclass	Translation Yes No
OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)							
DR	8.	O. Cohen-Fix et al.; <i>Anaphase initiation in Saccharomyces cerevisiae is controlled by the APC-dependent degradation of the anaphase inhibitor Pds1p</i> ; <u>Genes & Dev.</u> 10 :3081-3093 (1996)					
DR	9.	A. Hershko; <i>Roles of ubiquitin-mediated proteolysis in cell cycle control</i> ; <u>Curr. Opin. Cell. Biol.</u> 9 :788-799 (1997).					
DR	10.	M. Brandeis et al.; <i>The proteolysis of mitotic cyclins in mammalian cells persists from the end of mitosis until the onset of S phase</i> ; <u>EMBO J.</u> 15 :5280-5289 (1996).					
DR	11.	N. Mathias et al.; <i>Cdc53p Acts in Concert with Cdc4p and Cdc34p To Control the G₁-to-S-Phase Transition and Identifies a Conserved Family of Proteins</i> ; <u>Mol. Cell. Biol.</u> 16 :6634-6643 (1996).					
DR	12.	K. M. Lonergan et al.; <i>Regulation of Hypoxia-Inducible mRNAs by the von Hippel-Lindau Tumor Suppressor Protein Requires Binding to Complexes Containing Elongins B/C and Cul2</i> ; <u>Mol. Cell. Biol.</u> 18 :732-741 (1998).					
DR	13.	L-C Chen et al.; <i>The Human Homologue for the Caenorhabditis elegans cul-4 Gene is Amplified and Overexpressed in Primary Breast Cancers</i> ; <u>Cancer Res.</u> 58 :3677-3683 (1998).					

EXAMINER
EXAMINER

DATE CONSIDERED

4/25/03

Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

FORM PTO-1449 U.S. Department of Commerce Patent and Trademark Office		Attorney Docket Number 5470-255	Serial No. 09/541,462
LIST OF DOCUMENTS CITED BY APPLICANT (Use several sheets if necessary)			
		Applicants: Xue Xiong, Tomohiko Ohta	
		Filing Date March 31, 2000	Group 1643 1652
	14.	J. Michel et al.; <i>Human CUL-1, but not Other Cullin Family Members, Selectively Interacts with SKP1 to Form a Complex with SKP2 and Cyclin A; Cell Growth Differ.</i> 9:435-449 (1998).	
	15.	M. Scheffner et al.; <i>Protein ubiquitination involving an E-1-E2-E3 enzyme ubiquitin thioester cascade; Nature</i> 373:81-83 (1995).	
	16.	C. Michaelis et al.; <i>Cohesins: Chromosomal Proteins that Prevent Premature Separation of Sister Chromatids; Cell</i> 91:35-45 (1997).	
	17.	R.M.R. Feldman et al.; <i>A Complex of Cdc4p, Skp1p, and Cdc53p/Cullin Catalyzes Ubiquitination of the Phosphorylated CDK Inhibitor Sic1p; Cell</i> 91:221-230 (1997).	
	18.	C. Bai et al.; <i>SKP1 Connects Cell Cycle Regulators to the Ubiquitin Proteolysis Machinery through a Novel Motif, the F-Box; Cell</i> 86:263-274 (1996).	
	19.	A. R. Willems et al.; <i>Cdc53 Targets Phosphorylated G1 Cyclins for Degradation by the Ubiquitin Proteolytic Pathway; Cell</i> 86:453-463 (1996).	
	20.	D. Skowrya et al.; <i>F-Box Proteins Are Receptors that Recruit Phosphorylated Substrates to the SCF Ubiquitin-Ligase Complex; Cell</i> 91:209-219 (1997).	
	21.	E. T. Kipreos et al.; <i>cul-1 Is Required for Cell Cycle Exit in C. elegans and Identifies a Novel Gene Family; Cell</i> 85:829-839 (1996).	
	22.	A. Amon et al.; <i>Closing the Cell Cycle Circle in Yeast: G2 Cyclin Proteolysis Initiated at Mitosis Persists until the Activation of G1 Cyclins in the Next Cycle; Cell</i> 77:1037-1050 (1994).	
	23.	M. Schwab et al.; <i>Yeast Hct1 Is a Regulator of Clb2 Cyclin Proteolysis; Cell</i> 90:683-693 (1997).	
	24.	S. J. Sigrist et al.; <i>Drosophila fizzy-related Down-Regulates Mitotic Cyclins and is Required for Cell Proliferation Arrest and Entry into Endocycles; Cell</i> 90:671-681 (1997).	
	25.	M. Scheffner et al.; <i>The HPV-16 E6 and E6-AP Complex Functions as a Ubiquitin-Protein Ligase in the Ubiquitination of p53; Cell</i> 75:495-505 (1993).	
	26.	H. Funabiki et al.; <i>Cut2 proteolysis required for sister-chromatid separation in fission yeast; Nature</i> 381:438-441 (1996).	
	27.	M. Glotzer et al.; <i>Cyclin is degraded by the ubiquitin pathway; Nature</i> 349:132-138 (1991).	
	28.	R. W. King et al.; <i>How Proteolysis Drives the Cell Cycle; Science</i> 274:1652-1659 (1996).	
	29.	J-M. Peters et al.; <i>Identification of BIME as a Subunit of the Anaphase-Promoting Complex; Science</i> 274:1199-1201 (1996).	
	30.	Z-K Yu et al.; <i>Human CUL-1 associates with the SKP1/SKP2 complex and regulates p21^{CIP1/WAF1} and cyclin D proteins; Proc. Natl. Acad. Sci. USA</i> 95:11324-11329 (1998).	
	31.	S. A. Lyapina et al.; <i>Human CUL1 forms an evolutionarily conserved ubiquitin ligase complex (SCF) with SKP1 and an F-box protein, Proc. Natl. Acad. Sci. USA</i> 95:7451-7456 (1998).	

 EXAMINER
 EXAMINER

DATE CONSIDERED

Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.


FORM PTO-1449 U.S. Department of Commerce
Patent and Trademark Office

Attorney Docket Number
5470-255

Serial No.
09/541,462

LIST OF DOCUMENTS CITED BY APPLICANT

(Use several sheets if necessary)



RECEIVED

AUG 21 2000

Applicants: Xue Xiong, Tomohiko Ohta

Filing Date March 31, 2000

TECH CENTER 1600/16520
Group 16520

DN

↑

↓

- | | |
|-----|---|
| 32. | S. Lahav-Baratz et al.; <i>Reversible phosphorylation controls the activity of cyclosome-associated cyclin-ubiquitin ligase</i> ; <u>Proc. Natl. Acad. Sci. USA</u> 92 :9303-9307 (1995). |
| 33. | Y-L Juang et al.; <i>APC-Mediated Proteolysis of Ase1 and the Morphogenesis of the Mitotic Spindle</i> ; <u>Science</u> 275 :1311-1314 (1997). |
| 34. | R. Visintin et al.; <i>CDC20 and CDH1: A Family of Substrate-Specific Activators of APC-Dependent Proteolysis</i> ; <u>Science</u> 278 :460-463 (1997). |
| 35. | R. Verma et al.; <i>Phosphorylation of Sic1p by G₁ Cdk Required for its Degradation and Entry into S Phase</i> ; <u>Science</u> 278 :455-460 (1997). |
| 36. | H. Yu et al.; <i>Identification of a Cullin Homology Region in a Subunit of the Anaphase-Promoting Complex</i> ; <u>Science</u> 279 :1219-1222 (1998). |
| 37. | W. Zachariae et al.; <i>Mass Spectrometric Analysis of the Anaphase-Promoting Complex from Yeast: Identification of a Subunit Related to Cullins</i> ; <u>Science</u> 279 :1216-1219 (1998). |
| 38. | J. M. Huibregtse et al.; <i>A family of proteins structurally and functionally related to the E6-AP ubiquitin-protein ligase</i> ; <u>Proc. Natl. Acad. Sci. USA</u> 92 :2563-2567 (1995). |
| 39. | A. Varshavsky; <i>The N-end rule: Functions, mysteries, uses</i> ; <u>Proc. Natl. Acad. Sci. USA</u> 93 :12142-12149 (1996). |
| 40. | J. Lisztwan et al.; <i>Association of human CUL-1 and ubiquitin-conjugating enzyme CDC34 with the F-box protein p45^{SKP2}: evidence for evolutionary conservation in the subunit composition of the CDC34-SCF pathway</i> ; <u>The EMBO J.</u> 17 , No. 2:368-383 (1998). |
| 41. | A. Pause et al.; <i>The von Hippel-Lindau tumor-suppressor gene product forms a stable complex with human CUL-2, a member of the Cdc53 family of proteins</i> ; <u>Proc. Natl. Acad. Sci. USA</u> 94 :2156-2161 (1997). |
| 42. | F. Ning Li et al.; <i>Grr1 of Saccharomyces cerevisiae is connected to the ubiquitin proteolysis machinery through Skp1: coupling glucose sensing to gene expression and the cell cycle</i> ; <u>The EMBO J.</u> 16 , No. 18:5629-5638 (1997). |
| 43. | M. Hochstrasser; <i>Ubiquitin-Dependent Protein Degradation</i> ; <u>Annu. Rev. Genet.</u> 30 :405-439 (1996). |
| 44. | P. Kaiser et al.; <i>Cdc34 and the F-box protein Met30 are required for degradation of the Cdk-inhibitory kinase Swe1</i> ; <u>Genes & Dev.</u> 12 :2587-2597 (1998). |
| 45. | G. Fang et al.; <i>Direct Binding of CDC20 Protein Family Members Activates the Anaphase-Promoting Complex in Mitosis and G₁</i> ; <u>Molecular Cell</u> 2 :163-171. |
| 46. | H. Yu; <i>Identification of a novel ubiquitin-conjugating enzyme involved in mitotic cyclin degradation</i> ; <u>Current Biology</u> 6 , No 4:455-466. |

EXAMINER
EXAMINER

DATE CONSIDERED

4/25/00

Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

FORM PTO-1449 U.S. Department of Commerce
Patent and Trademark Office

Attorney Docket Number
5470-255

Serial No.
09/541,462

LIST OF DOCUMENTS CITED BY APPLICANT

(Use several sheets if necessary)



Applicants: Xiong et al.

Filing Date March 31, 2000

Group ~~1643~~
1652

U. S. PATENT DOCUMENTS

Examiner Initial	Document Number	Date	Name	Class	Subclass	Filing Date if Appropriate

FOREIGN PATENT DOCUMENTS

	Document Number	Date	Country	Class	Subclass	Translation Yes No
DR	1. WO 9906554	11/02/99	PCT	C12N	15/12	No
DR	2. WO 9932514	01/07/99	PCT	C07k	14/00	No

RECEIVED

DEC 13 2000

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

DR	3.	International Search Report, 11/06/00, for Application No. PCT/US00/08592	TECH CENTER 1600/29
DR	4.	Brown, D. et al. <i>Pip1p, a new subunit of the SCF-Pop ubiquitin ligase complex in S. pombe</i> . Accession No. O13959. 1 June 1998. Database on-line. Available from EMBL.	
DR	5.	Brown, D. et al. <i>S.pombe chromosome I cosmid c23H4</i> . Accession No. Z98977. 8 September 1997. Database on-line. Available from EMBL.	
DR	6.	Fujiwara, T. et al. <i>Human fetal brain cDNA 5' -end GEN-090E07</i> . Accession No. D52876. 24 August 1995. Database on-line. Available from EMBL.	
DR	7.	Hangjun, D. et al. <i>SAG, a novel zinc RING finger protein that protects cells from apoptosis induced by redox agents</i> , <u>Molecular and Cellular Biology</u> . 19:3145-3155 (1999).	
DR	8.	Hillier et al. <i>The WashU-Mrck EST Project</i> . Accession No. W38711. 17 May 1996. Database on-line. Available from EMBL.	
DR	9.	Ohta, T. et al. <i>ROCI1, a homolog of APC11, represents a family of cullin partners with an associated ubiquitin ligase activity</i> , <u>Molecular Cell</u> . 3:535-541 (1999).	
DR	10.	Skowyra, D. et al. <i>Reconstitution of G₁ Cyclin Ubiquitination with Complexes Containing SCF^{Grr1} and Rbx1</i> , <u>Science</u> . 284:662-665 (1999).	
DR	11.	Tanimura, S. et al. <i>MDM2 interacts with MDMX through their RING finger domains</i> , <u>FEBS Letters</u> . 447:5-9 (1999).	

EXAMINER
EXAMINER

DATE CONSIDERED

4/25/03

Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

